

## REFERENCES

- ATSDR, Chlorinated Dibenzo-p-dioxins (CDDs).  
<http://www.atsdr.cdc.gov/substances/toxsubstance.asp?toxid=63>.
- Belton, T.J., R. Hazen, B.E. Ruppel, K. Lockwood, R. Mueller, E. Stevenson, and J.J. Post. 1985. "A Study of Dioxin (2,3,7,8-TCDD) Contamination in Select Finfish, Crustaceans, and Sediments of New Jersey Waterways." NJDEP, Office of Science and Research, Trenton, NJ. October 30, 1985.
- Borrowman, T.D., E.R. Smith, J.Z. Gailani, L. Caviness, 2006. "Draft Feasibility Study of Passaic River Sediments." Project Report, U.S. Army Engineer Research and Development Center, Vicksburg, MS.
- Bopp, R. F., and Simpson, H. J. (1991). Sediment Sampling and Radionuclide and Chlorinated Hydrocarbon Analysis in Newark Bay and the Hackensack and Passaic Rivers. *Final Report to the State of New Jersey Department of Environment Protection, Division of Science and Research Columbia University, Lamont-Doherty Geological Observatory.*
- Bopp, R.F., Gross, M.L., Tong, H., Simpson, H.J., Monson, S.J., Deck, B.L. and Moser, F.C., 1991. "A Major Incidence of Dioxin Contamination: Sediments of New Jersey Estuaries." *Environmental Science and Technology*, Vol. 25, No. 5.
- Brydon, NF (1974). The Passaic River: Past, Present, Future. Rutgers University Press.
- Burger, J., K.K. Pflug, L. Lurig, L. Von Hagen, and S. Von Hagen, 1999. "Fishing in Urban New Jersey: Ethnicity Affects Information Sources, Perception, and Compliance." *Risk Analysis*, Vol. 19, No. 2: 217-227.
- Caplow, T., Schlosser, P., Ho, D.T., and Santella, N. (2003). Transport dynamics in a sheltered estuary and connecting tidal straits: SF<sub>6</sub> tracer study in New York Harbor. *Environmental Science & Technology* 37: 5116-5126.
- Chaky, D.A., 2003. "Polychlorinated Biphenyls, Polychlorinated Dibenzo-p-Dioxins and Furans in the New York Metropolitan Area; Interpreting Atmospheric Deposition and Sediment Chronologies." Ph.D. Thesis, Rensselaer Polytechnic Institute, Troy, NY. August 2003.
- Chant, R.J., 2005. Hydrodynamics of the Newark Bay/Kills system, New Jersey. Report prepared for New Jersey Department of Environmental Protection, Toxics Reduction Workplan for New York-New Jersey Harbor, Study I-E.
- Chant, R.J., Fugate, D., and Garvey, E. (2011). The shaping of an estuarine superfund site: roles of evolving dynamics and geomorphology. *Estuaries and Coasts* 34:90-105
- Chemical Industries (1937). Elko Chemical announced. *Chemical Industries*, November 1937: 510.

- Chemical Week (1953). Ahead for No. 3. Chemical Week, September 5, 1953, pg. 12.
- Crawford, D. W., Bonnevie, N. L., & Wenning, R. J. (1995). Sources of pollution and sediment contamination in Newark Bay, New Jersey. *Ecotoxicology and Environmental Safety*, 30(1), 85-100.
- Dimou, K.N., and Pecchioli, J.A. (2006). The New Jersey Toxics Reduction Workplan for NY-NJ Harbor: Distribution of PCDD/Fs in Ambient Waters. *Water, Air, and Soil Pollution: Focus* 6: 5–16.
- Ehrlich, R., R.J. Wenning, G.W. Johnson, S.H. Su, and D.J. Paustenbach. 1994. A mixing model for polychlorinated dibenzo-p-dioxins and dibenzofurans in surface sediments from Newark Bay, New Jersey, using polytopic vector analysis. *Arch. Environ. Contamin. Toxicol.* 27:486-500.
- Erickson, M.J., Barnes, C.R., Henderson, M.R., Romagnoli, R., and Firstenberg, C.E. (2007). Geomorphology Based Interpretation of Sedimentation Rates from Radiodating, Lower Passaic River, New Jersey, USA. *Integrated Environmental Assessment and Management*, 3:166-192
- Finley, B., Wenning, R. J., Unga, M. J., Huntley, S., & Paustenbach, D. J. (1990). PCDDs and PCDFs in surficial sediments from the lower Passaic River and Newark Bay. In Proc. *Tenth International Symposium on Chlorinated Dioxin and Related Compounds*. Bayreuth, Germany (pp. 409-4).
- Frear, DEH; MF Sunday and S Friedman (1958). Pesticide Handbook, 10<sup>th</sup> ed., College Science Publishers, State College, PA.
- Frear, DEH; MF Sunday and S Friedman (1957). Pesticide Handbook, 9<sup>th</sup> ed., College Science Publishers, State College, PA.
- Frear, DEH; MF Sunday and S Friedman (1956). Pesticide Handbook, 8<sup>th</sup> ed., College Science Publishers, State College, PA.
- Frear, DEH; MF Sunday and S Friedman (1955). Pesticide Handbook, 7<sup>th</sup> ed., College Science Publishers, State College, PA.
- Frear, DEH (1955). Chemistry of the Pesticides, 3<sup>rd</sup> ed., D. Van Nostrand Co., New York.
- Garvey, E; SS Gbondo-Tugbawa, J Atmadja and AM Accardi-Dey(2008). Dredging and discharge: contaminant history in the Lower Passaic River. Third Passaic River Symposium, Montclair State University, October 16, 2008.
- Garvey, EA; AM Accardi-Dey, J Atmadja, S Biteman, M Desai, A Ezeagu, S Gbondo-Tugbawa, C Hou, S McDonald, J Peake, E Zamek and C Zeiner(2006). Recent findings on the extent of

- contamination in the Lower Passaic River. Second Passaic River Symposium, Montclair State University, October 13, 2006.
- Garvey, E.A., Atmadja, J., and Accardi-Dey, A.M. (2007). Dioxins in the Newark Bay Complex—Newark, New Jersey. *Remediation of Contaminated Sediments—2007. Proceedings of the Fourth International Conference on Remediation of Contaminated Sediments (Savannah, Georgia; January 2007)*, Battelle Press, Columbus, OH.
- Greenblatt, M., M. Barbara, J. Connolly, R. Mathew, R. Law (2013) Lower Passaic River RI/FS – Integration of Multiple Lines of Evidence to Characterize Sediment Stability. Presented at Battelle 2013.
- Hagenmaier, H and A Berchtold (1986). Analysis of waste from production of Na-pentachlorophenolate for polychlorinated dibenzodioxins (PCDD) and dibenzofurans (PCDF). *Chemosphere* 15(9-12): 1991-4.
- Hansen, W. J. (2002). A statistical and spatial analysis of dioxin-furan contamination in the Hudson Estuary. *Northeastern Geology and Environmental Sciences*, 24(3), 159-170.
- Hansen, W. J. (2006). A temporal analysis of in dioxin-furan contamination patterns in the Lower Passaic River, New Jersey. *Northeastern Geology and Environmental Sciences*, 28(2), 182.
- Heilborn, A (1949). p-dichlorobenzene, In Encyclopedia of Chemical Technology, 1<sup>st</sup> ed., ed. Kirk and Othmer, Volume 3; 819-22.
- Huntley, S.L., H. Carlson-Lynch, G.W. Johnson, D.J. Paustenbach, and B.L. Finley. 1998. Identification of historical PCDD/F sources in Newark Bay Estuary subsurface sediments using polytopic vector analysis and radioisotope dating techniques. *Chemosphere* 6:1167-1185.
- Huntley, S. L., Iannuzzi, T. J., Avantaggio, J. D., Carlson-Lynch, H., Schmidt, C. W., & Finley, B. L. (1997). Combined sewer overflows (CSOs) as sources of sediment contamination in the lower Passaic River, New Jersey. II. Polychlorinated dibenzo-p-dioxins, polychlorinated dibenzofurans, and polychlorinated biphenyls. *Chemosphere*, 34(2), 233-250.
- Huntley, S.L., Wenning, R.J., Su, S.H., Bonnevie, N.L., and Paustenbach, D.J. (1995). Geochronology and sedimentology of the lower Passaic River, New Jersey. *Estuaries* 18:351-361.
- Iannuzzi, T. J., Armstrong, T. N., Thelen, J. B., Ludwig, D. F., & Firstenberg, C. E. (2005). Characterization of chemical contamination in shallow-water estuarine habitats of an industrialized river. Part 1: Organic compounds. *Soil & Sediment Contamination*, 14(1), 13-33.

- Iannuzzi T., D.F. Ludwig, J.C. Kinnell, J.M. Wallin, W.H. Desvousges, and R.W. Dunford, 2002. A Common Tragedy: History of an Urban River. Amherst, Massachusetts: Amherst Scientific Publishers.
- Kirk-Pflugh, K., L. Lurig, L. Von Hagen, S. Von Hagen, and J. Burger, 1999. "Urban Anglers' Perception of Risk from Contaminated Fish." *Science of the Total Environment* 228:203-218.
- Kirk-Pflugh, L., A.H. Stern, L. Nesposudny, L. Lurig, B. Ruppel, and G.A. Buchanan, 2011. "Consumption Patterns and Risk Assessment of Crab Consumers from the Newark Bay Complex, New Jersey, USA." *Science of the Total Environment*, 409: 4536-4544.
- Kolker, LA and N Poffenberger (1947). Monochlorobenzene, in Encyclopedia of Chemical Technology, ed. Kirk and Othmer. Volume 3: 812-817.
- Kuhn, EP and JM Suflita (1989). Dehalogenation of pesticides by anaerobic microorganisms in soils and groundwater – a review, in Reactions and Movement of Organic Chemicals in Soils, ed. BL Sawhney and K Brown. Soils Science Society of America, Madison, WI.
- Lowe, S., K. Abood, J. Ko and T. Wakeman. (2005). A Sediment Budget Analysis of Newark Bay. *Journal of Marine Science and Environment* C3:37-44
- Marlow, DA; M Fingerhut, LM Blade, L Piacitelli and D Roberts (1991). Dioxin Registry Report of the DOW Chemical Company, Midland, Michigan.
- Mathew, R., D. Manian, R. Canizares, J. Winterwerp (2013) Sediment Transport Processes and Regimes in the Lower Passaic River Study Area. Presented at Battelle 2013.
- Meyerson, A.L., Luther, G.W., Krajewski, J., and Hires, R.I. (1981). Heavy metal distribution in Newark Bay sediments. *Marine Pollution Bulletin* 12:244-250
- NJDEP, 2002. "Estimate of Cancer Risk to Consumers of Crabs Caught in the Area of the Diamond Alkali Site and Other Areas of the Newark Bay Complex from 2,3,7,8-TCDD and 2,3,7,8-TCDD Equivalents." Prepared by the Division of Science, Research and Technology. April 25, 2002. <http://www.state.nj.us/dep/dsr/crab-outreach/crabsra.pdf>
- NJDEP, 1995. "A Survey of Urban Anglers from the Newark Bay Complex – Risk Perception, Knowledge and Consumption." Final Report to U.S. EPA Region 2, Office of Water.
- Olsen, C.R., Larsen, I.L., Brewster, R.H., Cutshall, N.H., Bopp, R.F., and Simpson, H.J.. (1984). A geochemical assessment of sedimentation and contaminant distributions in the Hudson-Raritan Estuary. *National Oceanic and Atmospheric Administration Tech. Report NOS OMS 2. Rockville, MD.*

- Pence, A.M. (2004). Dominant forces in an estuarine complex with multiple tributaries and free connections to the open ocean with application to sediment transport. *Dissertation Thesis, Stevens Institute of Technology, Hoboken, NJ.*
- Powers, C.W., G.R. Munoz, M.A. Panero (2006) Pollution Prevention and Management Strategies for Dioxins in the New York/New Jersey Harbor. The New York Academy of Sciences.
- Quadrini, J., J. Connolly, W. Ku, P. Israelsson (Anchor QEA) (2013) Fingerprinting to Identify the Extent of Dioxin Contamination in the Lower Passaic River from the Lister Avenue Site. Presented at Battelle 2013.
- Rosen, I (1961). Derivatives of pentachlorophenol – assigned to Diamond Alkali. U.S. Patent #2,993,934; Filed August 8, 1956 – Awarded July 25, 1961.
- Rosen, I (1957). Improvements in the preparation of polychlorophenols – assigned to Diamond Alkali. U.S. Patent #2,812,366; Filed April 2, 1954 – Awarded November 5, 1957.
- Sea Engineering, Inc. and HDR|Hydroqual, Inc.. (2011) System Understanding of Sediment Transport. May.
- Sommerfield, C.K. and Chant, R.J. (2010). Mechanisms of Sediment Trapping and Accumulation in Newark Bay, New Jersey: An Engineered Estuarine Basin (HRF008/07A). *Final Report to the Hudson River Foundation. July.*
- Suszkowski, D.J. (1978). Sedimentology of Newark Bay, New Jersey: An urban estuarine bay. *Dissertation Thesis, University of Delaware, Newark, Delaware.*
- Synthetic Organic Chemicals; United States Production and Sales Annual Reports by the U.S. Tariff Commission and International Trade Commission:  
<http://archive.org/search.php?query=synthetic%20organic%20chemicals>
- Tiedje, JM; SA Boyd and BZ Fathepure (1987). Anaerobic degradation of chlorinated aromatic hydrocarbons. *Developments in Industrial Microbiology* 27(1): 117-127.
- Tong, H.Y., Bopp, R.F. and Moser, F.C. 1990. Analysis of dated sediment samples from the Newark Bay area for selected PCDD/Fs. *Chemosphere* 20(10-12): 1497-1502.
- Umbreit, TH; EJ Hesse and MA Gallo (1986). Bioavailability of dioxin in soil from a 2,4,5-T manufacturing site. *Science* 232:497-9.
- USEPA, Various documents and publications regarding dioxin, see, e.g.,  
<http://cfpub.epa.gov/ncea/CFM/nceaQFind.cfm?keyword=Dioxin>

- Villanueva, EC; RW Jennings, VW Burse and RD Kimbrough (1974). Evidence of chlorodibenzo-p-dioxin and chlorodibenzofuran in hexachlorobenzene. *Journal of Agricultural and Food Chemistry* 22 (5): 916-7.
- de Voogt, P and UAT Brinkman (1989). Production, properties and usage of polychlorinated biphenyls. In Halogenated biphenyls, terphenyls, naphthalenes, dibenzodioxins and related products, ed. RD Kimbrough and AA Jensen. Elsevier, New York.
- Wenning, R.J., A. Von Burg, L. Martello, J. Pekala, M. Maier, W. Luksemburg (2004) Levels of polychlorinated dibenzo-p-dioxins (PCDDs), dibenzofurans (PCDFs), and polychlorinated biphenyls (PCBs) in the Hackensack River and Newark Bay, New Jersey, USA. *Organohalogen Compounds*, **66**, 1482-1488.
- Wenning R.J., D.J. Paustenbach, M.A. Harrist, and H. Bedbury (1993) Principal components analysis of potential sources of polychlorinated dibenzo-p-dioxin and dibenzofuran residues in surficial sediments from Newark Bay, New Jersey. *Arch. Environ. Contam. Toxicol.* **24**, 271-289.
- Wenning, R. J., Harris, M. A., Finley, B., Paustenbach, D. J., & Bedbury, H. (1993). Application of pattern recognition techniques to evaluate polychlorinated dibenzo-p-dioxin and dibenzofuran distributions in surficial sediments from the Lower Passaic River and Newark Bay. *Ecotoxicology and Environmental Safety*, **25**(1), 103-125.
- Wenning, R., Paustenbach, D., Johnson, G., Ehrlich, R., Harris, M., & Bedbury, H. (1993). Chemometric analysis of potential sources of polychlorinated dibenzo-p-dioxins and dibenzofurans in surficial sediments from Newark Bay, New Jersey. *Chemosphere*, 27(1), 55-64.
- Wenning, R. J., Harris, M. A., Unga, M. J., Paustenbach, D. J., & Bedbury, H. (1992). Chemometric comparisons of polychlorinated dibenzo-p-dioxin and dibenzofuran residues in surficial sediments from Newark Bay, New Jersey and other industrialized waterways. *Archives of Environmental Contamination and Toxicology*, **22**(4), 397-413.
- Wenning, R. J., Harris, M. A., Paustenbach, D. J., & Bedbury, H. (1992). Potential sources of 1, 2, 8, 9-tetrachlorodibenzo-p-dioxin in the aquatic environment. *Ecotoxicology and Environmental Safety*, **23**(2), 133-146.
- Wilson, T.P. and Bonin, J.L. (2007). Concentrations and loads of organic compounds and trace elements in tributaries to Newark and Raritan Bays, New Jersey. *U.S. Geological Survey Scientific Investigations Report 2007-5059*.
- Wilson, T.P. and Bonin, J.L. (2007). Occurrence of organic compounds and trace elements in the Upper Passaic and Elizabeth Rivers and their tributaries in New Jersey, July 2003 to February 2004: Phase II of the New Jersey Toxics Reduction Workplan for New York-New Jersey Harbor. *U.S. Geological Survey Scientific Investigations Report 2007-5136*.